

Amendments to the Claims:

1. (Currently Amended) A method of treating a target tissue site, the method comprising:

selecting the tissue site based on a tissue profile or condition of the tissue site;
using an energy delivery device to apply a combination of electromagnetic energy treatments delivered to different tissue depths;

delivering following a first pattern of surface application to deliver RF energy with controlled dose and depth to the tissue site with at a first depth to achieve a first tissue effect; wherein the first tissue effect is a two dimensional tightening of the skin surface;

delivering following a second pattern of surface application to deliver RF energy with controlled dose and depth to the tissue site at a second depth to achieve a second tissue effect; wherein the second tissue effect is a three dimensional tissue repositioning or inward contouring; and

remodeling at least a portion of tissue at the tissue site.

2. (Original) The method of claim 1, wherein the tissue site is selected based on an amount of convexity at the tissue site or an image of the tissue site.

3. (Previously Presented) The method of claim 1, wherein at least one of the first or the second tissue effects is a thermal adhesion or lesion.

4. (Cancelled)

5. (Previously Presented) The method of claim 1, wherein the second tissue effect results from at least one of thermal lipolysis, thermal contraction of the fibrous septae, thermal contraction of muscle, thermal contraction of fascia, or skeletonization of the fibrous septae.

6. (Cancelled)

7. (Previously Presented) The method of claim 1, wherein the energy delivery device for delivering energy to the first or the second depth is one of an RF energy delivery device, a microwave energy delivery device, a laser or an ultrasound energy delivery device.

8. (Previously Presented) The method of claim 1, further comprising:
producing a thermal adhesion or lesion at the tissue site; and
remodeling at least a portion of tissue at the tissue site utilizing the thermal adhesion or lesion.

9. (Original) The method of claim 1, further comprising:
delivering a pattern of energy applications to the tissue site using the energy delivery device; and
producing a plurality of thermal adhesions or lesions wherein the plurality of adhesions or lesions is substantially continuous or at least partially overlapping.

10. (Original) The method of claim 1, further comprising:
delivering a vectored force to the tissue site.

11. (Original) The method of claim 1, further comprising:
cooling a layer of tissue or a surface layer of tissue of at least a portion of the tissue site.

12. (Previously Presented) The method of claim 1, further comprising:
producing a reverse thermal gradient within at least a portion of the tissue site.

13. (Original) The method of claim 1, further comprising:
producing at least one of a wound healing response or scar collagen induction within the tissue site.

14. (Original) The method of claim 1, further comprising:
substantially preserving at least a portion of a surface, a tissue layer or an epidermal layer at or adjacent the tissue site.

15. (Currently Amended) A method of treating a target tissue site, the method comprising:

identifying an aesthetic deformity at the treatment site;
choosing a treatment plan based on the aesthetic deformity;
delivering following a pattern of surface application to deliver RF energy with controlled dose and depth RF energy to the tissue site to achieve a tissue effect to correct the deformity using an energy delivery device; and
remodeling at least a portion of tissue at the tissue site.

16. (Original) The method of claim 15, wherein the aesthetic deformity is identified based on a degree of convexity, a degree of skin redundancy or an image of the treatment site.

17. (Original) The method of claim 15, wherein the tissue effect is at least one of a thermal adhesion or lesion, thermal lipolysis, three dimensional inward contouring of convex deformities, thermal contraction of the fibrous septae, thermal contraction of muscle, thermal contraction of fascia, skeletonization of the fibrous septae or three dimensional deep tissue repositioning of convex deformities.

18. (Original) The method of claim 15, wherein the treatment plan is a dermal treatment plan, a sub-dermal treatment plan, a two dimensional skin tightening plan or a three dimensional inward contouring plan.

19. (Original) The method of claim 15, further comprising:
controlling at least one of dose or the depth of energy delivery responsive to the identified deformity.

20. (Original) The method of claim 19, wherein the dose or depth or depth of energy delivery is controlled by at least one of the selection of electrode size, power, pre-cooling period, cooling period, or energy delivery time.

21. (New) The method of claim 1, wherein RF energy is delivered following the second pattern of surface application before following the first pattern of surface application.

22. (New) The method of claim 1, wherein RF energy is delivered repeatedly following the first or the second pattern of surface applications.

23. (New) The method of claim 1, wherein the controlled doses to deliver RF energy following the first and the second pattern of surface applications are different.

24. (New) The method of claim 1, wherein the first and the second depths to deliver RF energy are different.

25. (New) The method of claim 24, wherein the second depth to deliver RF energy is deeper than the first depth.